

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600

August 7, 2008

Mr. Christopher Thompson
Powell Goldstein LLP
901 New York Avenue, N.W., Third Floor
Washington DC, 20001

Re: HSRA Release Notification
Former Goodyear Tire and Rubber
14 Royal Drive
Forest Park, Georgia 30297

Dear Mr. Thompson:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated June 6, 2008; EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having limited access, non-residential use with the nearest drinking water well greater than one mile from the site. Enclosed is a copy of our trip report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to John Maddox of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Regina Campbell
Unit Coordinator
Hazardous Sites Response Program

Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

File: Non-HSI, [Clayton County] 14 Royal Drive
S:\RDRIVE\JMaddox\Non HSI\14 Royal Drive\letter_rev.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334
Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, Ph.D., Director
Hazardous Waste Management Branch
404-657-8600

August 11, 2008

Mr. Emanuel D. Jones
Legacy Real Estate Holdings, LLC
413 Industrial Boulevard
McDonough, GA 30253

Re: HSRA Release Notification
Legacy Toyota
4115 Jonesboro Road
Union City, Georgia 30291

Dear Mr. Jones:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated June 20, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use, with the nearest active drinking water well within a 1 - 2 mile radius from the site. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Kristen Ritter Rivera of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Hazardous Sites Response Program

File: Non-HSI (Legacy Toyota, Fulton County)
Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

CC: Gregory Fischer, Qore Property Sciences

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr, Suite 1462 East Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch Ph.D., Director

Phone 404/657-8600 FAX 404/657-0807

August 18, 2008

The Housing Authority of Columbus
c/o J. Len Williams
P.O. Box 630
Columbus, GA 31902

Re: HSRA Release Notification
Newton D. Baker Village – Phase 2
1440 Benning Drive
Columbus, Muscogee County, Georgia

Dear Mr. Williams:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory", the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification received on July 1, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having limited access, residential use, and a release to groundwater above Maximum Contaminant Levels (MCL). Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Mr. Rajib Haq of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Robert J. Valli, P.G.

Unit Coordinator

Hazardous Sites Response Program

Encl.: Trip Report/RQSM Score Sheet/Recommendation Memorandum

File: Non-HSI (Newton D. Baker Village – Phase 2)

S:\RDRIVE\Rajib\Release Notifications\Newton D. Baker Village\non-hsi letter 1440 Benning Drive.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Dr. S.E., Suite 1462 East, Atlanta, Georgia 30334

Noel Holcomb, Commissioner
Environmental Protection Division

Carol A. Couch, Ph.D., Director
Hazardous Waste Management Branch
404-657-8600

August 22, 2008

CERTIFIED MAIL
Return Receipt Requested

Dr. Terry Quick
Atlanta Baptist Association, Inc.
3070 Mercer University Dr.
Atlanta, GA 30341

Re: HSRA Release Notification
Techwood Baptist Center
156 Parker St. and 414 Centennial Olympic Dr.
Atlanta, GA 30313 Fulton County

Dear Dr. Quick:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated February 4, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having limited access, residential use, with the nearest drinking water well located greater than one mile from the site. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to David Hayes of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



David Reuland
Unit Coordinator
Hazardous Sites Response Program

File: Non-HSI (Techwood Baptist Center, Fulton County)
Encl.: Release Notification form
Trip Report
RQSM Score sheet
Recommendation Memorandum

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner
Environmental Protection Division
Carol A. Couch, PhD., Director
404/657-8600

August 20, 2008

CERTIFIED MAIL

Return Receipt Requested

Rohrig-Pollack-Berkley, LLC
914 Howell Mill Road, NW
Atlanta, Georgia 30318

Re: HSRA Release Notification for
3078 Roswell Road
Atlanta, Georgia 30305

Dear Sirs:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated February 4, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, commercial use with the nearest downgradient drinking water well located greater than one (1) mile. Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Hazardous Sites Response Program at (404)657-8600.

Sincerely,



Robert J. Valli, P.G.

Unit Coordinator

Hazardous Sites Response Program

Encl.: Release Notification form, Trip Report
RQSM Score sheet, Recommendation Memorandum
c: Berkley Tracy, One Consulting Group, Inc.
File: Non-HSI (3078 Roswell Road)
S:\RDRIVE\Jacki\Non-HSI\3078 Roswell Road\non-HSI letter.doc

COPY

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch, PhD., Director

404/657-8600

August 22, 2008

CERTIFIED MAIL

Return Receipt Requested

Mr. Pat Murphy
East Decatur Station, LLC
PO Box 1305
Decatur, Georgia 30031

Re: HSRA Release Notification for
114 New Street
Decatur, Georgia 30031

Dear Mr. Murphy:


Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated July 7, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having unlimited access, non-residential use with a release to groundwater below the maximum containment level (MCL). Enclosed is a copy of our inspection report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to Ms. Jacki Scarbary of the Hazardous Sites Response Program at (404)657-8600.

Sincerely,



Robert J. Valli, P.G.

Unit Coordinator

Hazardous Sites Response Program

Encl.: Release Notification form, Trip Report
RQSM Score sheet, Recommendation Memorandum

c: Thomas Harper, ETRI

S:\RDRIVE\Jacki\Non-HSI\114 New Street\Non-HSI letter.doc

Georgia Department of Natural Resources

2 Martin Luther King, Jr. Drive, S.E., Suite 1462 East, Atlanta, Georgia 30334-9000

Noel Holcomb, Commissioner

Environmental Protection Division

Carol A. Couch, PhD., Director

404/657-8600

August 26, 2008

Mr. Wesley Arthur
EH & S Manager
VLS Recovery Services
17020 Premium Drive
Hockley, Texas 77447

Re: HSRA Release Notification
Vopak Fitzgerald
188 Rip Wiley Road
Fitzgerald, Georgia 31750

Dear Mr. Arthur:

Pursuant to the Rules for Hazardous Site Response, specifically Rule 391-3-19-.05(1) "Listing on the Hazardous Site Inventory," the Environmental Protection Division (EPD) has evaluated the above referenced property to determine whether a release exceeding a reportable quantity has occurred.

Based upon the information available to EPD at the time this evaluation was done, including your notification dated December 5, 2007 and the Limited Site Investigation Report dated July 25, 2008, EPD has no reason to believe that a release exceeding a reportable quantity has occurred at this property. The property was evaluated as having inaccessible, non-residential use with the nearest drinking water well less than one-half of a mile from the site. Enclosed is a copy of our trip report, recommendation memorandum, and Reportable Quantities Screening Method (RQSM) score sheet that summarize the conditions used to evaluate this property. Based on this information, this property will not be listed on the Hazardous Site Inventory.

As provided for in Section 391-3-9-.04(4) of the Rules, the owner of the property must notify EPD if they become aware of any information not provided in the notification that should have been provided, or if they become aware of any information or events that suggest changes may have occurred in any of the conditions referenced in the attached documents. Please provide a copy of this letter and the attached documents to any person to which title or an interest in this property is transferred.

Please direct questions regarding this matter to John Maddox of the Hazardous Sites Response Program at (404) 657-8600.

Sincerely,



Regina Campbell
Unit Coordinator
Hazardous Sites Response Program

Encl.: Trip Report
RQSM Score sheet
Recommendation Memorandum

File: Non-HSI, [Ben Hill County] Vopak Fitzgerald
S:\DRIVE\JMaddox\Notifications\Vopak\letter_rev.doc